

Contents of Volume 5

COMMENTARIES

β -Sheet rearrangements: serpins and beyond J.A.Banzon and J.W.Kelly 113

The structure of a protein bound to its receptor stimulates some new insights P.R.Young 117

Molecular surface area and hydrophobic effect I.Tuñón, E.Silla and J.L.Pascual-Ahuir 715

PROTOCOLS

Efficient deletion mutagenesis by PCR Z.B.Ogel and M.J.McPherson 467

A novel sequential procedure to enhance the renaturation of recombinant protein from *Escherichia coli* inclusion bodies B.Fischer, B.Perry, I.Sumner and P.Goodenough 593

Recursive PCR: a novel technique for total gene synthesis C.Prodromou and L.H.Pearl 827

PROTEIN STRUCTURE AND ANALYSIS

The crystal state binding of dithionite to deoxy-hemoglobin F.C.Wireko and D.J.Abraham 3

Structure of a 16 kDa integral membrane protein that has identity to the putative proton channel of the vacuolar H^+ -ATPase M.E.Finbow, E.E.Eliopoulos, P.J.Jackson, J.N.Keen, L.Meagher, P.Thompson, P.Jones and J.B.C.Findlay 7

Building protein backbones from $C\alpha$ coordinates Y.Luo, X.Jiang, I.Lai, C.Qu, X.Xu and Y.Tang 147

Quantitative analysis of protein far UV circular dichroism spectra by neural networks G.Böhm, R.Muhr and R.Jaenicke 191

The α/β hydrolase fold D.L.Ollis, E.Cheah, M.Cygler, B.Dijkstra, F.Frolow, S.M.Franken, M.Harel, S.J.Remington, I.Silman, J.Schrag, J.L.Sussman, K.H.G.Verschueren and A.Goldman 197

The functions of tryptophan residues in membrane proteins M.Schiffer, C.-H.Chang and F.J.Stevens 213

Additional binding sites in lysozyme. X-ray analysis of lysozyme complexes with bromophenol red and bromophenol blue Madhusudan and M.Vijayan 399

Crystal structure of the high-alkaline serine protease PB92 from *Bacillus alcalophilus* J.M.van der Laan, A.V.Teplyakov, H.Kelders, K.H.Kalk, O.Misset, L.J.S.M.Mulleners and B.W.Dijkstra 405

The solution structure of echistatin: evidence for disulphide bond rearrangement in homologous snake toxins R.M.Cooke, B.G.Carter, P.Murray-Rust, M.J.Hartshorn, P.Herzyk and R.E.Hubbard 473

Site-directed mutagenesis and X-ray crystallography of two phospholipase A₂ mutants: Y52F and Y73F M.M.G.M.Thunnissen, P.A.Franken, G.H.de Haas, J.Drenth, K.H.Kalk, H.M.Verheij and B.W.Dijkstra 597

3-D structure of a mutant (Asp101→Ser) of *E.coli* alkaline phosphatase with higher catalytic activity L.Chen, D.Neidhart, W.M.Kohlbrenner, W.Mandecki, S.Bell, J.Sowadski and C.Abad-Zapatero 605

The structural consequences of exchanging tryptophan and tyrosine residues in <i>B.stearothermophilus</i> lactate dehydrogenase	D.I.Roper, K.M.Moreton, D.B.Wigley and J.J.Holbrook	611
Analysis of several key active site residues of ricin A chain by mutagenesis and X-ray crystallography	Y.Kim and J.D.Robertus	775
PREDICTION OF PROTEIN STRUCTURE		
Pattern-induced multi-sequence alignment (PIMA) algorithm employing secondary structure-dependent gap penalties for use in comparative protein modelling	R.F.Smith and T.F.Smith	35
A variable gap penalty function and feature weights for protein 3-D structure comparisons	Z.-Y.Zhu, A.Sali and T.L.Blundell	43
Evidence for a second conserved arginine residue in the integrase family of recombination proteins	K.E.Abremski and R.H.Hoess	87
A data bank merging related protein structures and sequences	S.Pascarella and P.Argos	121
Towards an automatic method of predicting protein structure by homology: an evaluation of suboptimal sequence alignments	M.A.S.Saqi, P.A.Bates and M.J.E.Sternberg	305
Computational complexity of a problem in molecular structure prediction	J.T.Ngo and J.Marks	313
Hydrophobicity and structural classes in proteins	H.Cid, M.Bunster, M.Canales and F.Gazitúa	373
IPSA—Inductive Protein Structure Analysis	S.Schulze-Kremer and R.D.King	377
Construction of a dictionary of sequence motifs that characterize groups of related proteins	A.Ogiwara, I.Uchiyama, Y.Seto and M.Kanehisa	479
Search for the stable state of a short chain in a molecular field	A.V.Finkelstein and B.A.Reva	617
A new approach to the design of a sequence with the highest affinity for a molecular surface	B.A.Reva and A.V.Finkelstein	625
Detection of secondary structure elements in proteins by hydrophobic cluster analysis	S.Woodcock, J.-P.Mornon and B.Henrissat	629
Potential of genetic algorithms in protein folding and protein engineering simulations	T.Dandekar and P.Argos	637
Protein secondary structure prediction using logic-based machine learning	S.Muggleton, R.D.King and M.J.E.Sternberg	647
Quantile distributions of amino acid usage in protein classes	S.Karlin, B.E.Blaisdell and P.Bucher	729
Relationships between sequence and structure for the four-α-helix bundle tertiary motif in proteins	C.D.Paliakasis and M.Kokkinidis	739
MOLECULAR MODELLING AND DYNAMICS		
Molecular dynamics simulations of the whey protein β-lactoglobulin	W.Gu and J.W.Brady	17
Application of free energy simulations to the binding of a transition-state-analogue inhibitor to HIV protease	A.Tropsha and J.Hermans	29
Proline residues in transmembrane helices of channel and transport proteins: a molecular modelling study	M.S.P.Sansom	53

Homology model of thyroxine binding globulin and elucidation of the thyroid hormone binding site	J.A.Jarvis, S.L.A.Munro and D.J.Craik	61
A robust and efficient automated docking algorithm for molecular recognition	N.Kasinos, G.A.Lilley, N.Subbarao and I.Haneef	69
A preliminary 3-D model of the tertiary fold of the polymerase domain of HIV-1 reverse transcriptase	L.S.Narasimhan and G.M.Maggiora	139
CD4 and CD8 may adopt a similar mode of binding to their MHC ligands	R.I.Brinkworth	151
Calculations of antibody–antigen interactions: microscopic and semi-microscopic evaluation of the free energies of binding of phosphorylcholine analogs to McPC603	F.S.Lee, Z.-T.Chu, M.B.Bolger and A.Warshel	215
An SS1–SS2 β-barrel structure for the voltage-activated potassium channel	S.Bogusz, A.Boxer and D.D.Busath	285
Main structural and functional features of the basic cytosolic bovine 21 kDa protein delineated through Hydrophobic Cluster Analysis and molecular modelling	F.Schoentgen, N.Seddiqi, S.Bucquoy, P.Jollès, L.Lemesle-Varloot, K.Provost and J.-P.Mornon	295
Molecular modeling studies of the complex between cyclophilin and cyclosporin A	S.Gallion and D.Ringe	391
β-sheet folding of fragment (16–36) of bovine pancreatic trypsin inhibitor as predicted by Monte Carlo simulated annealing	T.Nakazawa, H.Kawai, Y.Okamoto and M.Fukugita	495
Comparison of the modelled thyroxine binding site in TBG with the experimentally determined site in transthyretin	C.J.Terry and C.C.F.Blake	505
Molecular mechanics analysis of inhibitor binding to HIV-1 protease	C.E.Sansom, J.Wu and I.T.Weber	659
The T=R structural transition of insulin; pathways suggested by targeted energy minimization	M.Engels, E.Jacoby, P.Krüger, J.Schlitter and A.Wollmer	669
Homology modeling of a heme protein, lignin peroxidase, from the crystal structure of cytochrome c peroxidase	P.Du, J.R.Collins and G.H.Loew	679
A molecular dynamics simulation of bacteriophage T4 lysozyme	G.E.Arnold and R.L.Ornstein	703
Hydration of amino acid side chains: dependence on secondary structure	A.S.Morris, N.Thanki and J.M.Goodfellow	717
The dimerization domain of LFB1/HNF1 related transcription factors: a hidden four helix bundle?	A.Pastore, R.De Francesco, M.A.Castiglione Morelli, D.Nalis and R.Cortese	749
Free energy perturbation study on a Trp-binding mutant (Ser⁸⁸ → Cys) of the <i>trp</i>-repressor	Y.Komeiji, M.Uebayasi, J.Someya and I.Yamato	759
PROTEIN ENGINEERING		
Biochemical properties of the kringle 2 and protease domains are maintained in the refolded t-PA deletion variant BM 06.022	U.Kohnert, R.Rudolph, J.H.Verheijen, E.J.D.Weening-Verhoeff, A.Stern, U.Opitz, U.Martin, H.Lill, H.Prinz, M.Lechner, G.-B.Kresse, P.Buckel and S.Fischer	93
Studies on chimeric fusion proteins of human aldolase isozymes A and B	Y.Takasaki and K.Hori	101
		835

Introduction of a stabilizing 10 residue β-hairpin in <i>Bacillus subtilis</i> neutral protease	V.G.H.Eijsink, G.Vriend, B. van den Burg, J.R. van der Zee, O.R.Veltman, B.K.Stulp and G.Venema	157
Increasing the thermostability of a neutral protease by replacing positively charged amino acids in the N-terminal turn of α-helices	V.G.H.Eijsink, G.Vriend, B. van den Burg, J.R. van der Zee and G.Venema	165
Structure-activity relationships in human interleukin-1α: identification of key residues for expression of biological activities	H.Kawashima, J.-I.Yamagishi, M.Yamayoshi, M.Ohue, T.Fukui, H.Kotani and M.Yamada	171
Site-directed mutagenesis of pseudoazurin from <i>Alcaligenes faecalis</i> S-6; Pro80Ala mutant exhibits marked increase in reduction potential	M.Nishiyama, J.Suzuki, T.Ohnuki, H.Choon Chang, S.Horinouchi, S.Turley, E.T.Adman and T.Beppe	177
Kinetic identification of a hydrogen bonding pair in the glucoamylase-maltose transition state complex	M.R.Sierks and B.Svensson	185
A functional antibody mutant with an insertion in the framework region 3 loop of the V_H domain: implications for antibody engineering	T.Simon and K.Rajewsky	229
Phe496 and Leu497 are essential for receptor binding and cytotoxic action of the murine interleukin-4 receptor targeted fusion toxin DAB₃₈₉-mIL-4	F.Lakkis, B.Landgraf, Z.Wen, T.B.Strom and J.R.Murphy	241
A point mutation that decreases the thermal stability of human interferon γ	C.A.Lunn, J.Fossetta, N.Murgolo, P.J.Zavodny, D.Lundell and S.K.Narula	249
A point mutation of human interferon γ abolishes receptor recognition	C.A.Lunn, J.Fossetta, D.Dalgarno, N.Murgolo, W.Windsor, P.J.Zavodny, S.K.Narula and D.Lundell	253
Involvement of residues 296-299 in the enzymatic activity of tissue-type plasminogen activator	N.F.Paoni, C.J.Refino, K.Brady, L.C.Peña, H.V.Nguyen, E.M.Kerr, A.C.Johnson, F.M.Wurm, R.van Reis, D.Botstein and W.F.Bennett	259
A new protein conjugate that replaces the use of secondary antibodies engineered from the two staphylococcal enzymes protein A and 6-phospho-β-galactosidase	E.Witt, G.C.Stewart and W.Hengstenberg	267
Insertion of a disulfide-containing neurotoxin into <i>E.coli</i> alkaline phosphatase: the hybrid retains both biological activities	D.Gillet, F.Ducancel, E.Pradel, M.Léonetti, A.Ménez and J.-C.Boulain	273
Molecular modelling and site-directed mutagenesis on a bovine anti-testosterone monoclonal antibody	T.Jackson, B.A.Morris, A.C.R.Martin, D.F.V.Lewis and P.G.Sanders	343
Interchain cysteine bridges control entry of progesterone to the central cavity of the uteroglobin dimer	W.Peter, R.Dunkel, P.F.W.Stouten, G.Vriend, M.Beato and G.Suske	351
Protein engineering of the high-alkaline serine protease PB92 from <i>Bacillus alcalophilus</i>: functional and structural consequences of mutation at the S4 substrate binding pocket	A.V.Teplyakov, J.M.van der Laan, A.A.Lammers, H.Kelders, K.H.Kalk, O.Misset, L.J.S.M.Mulleners and B.W.Dijkstra	413
The effect of cavity-filling mutations on the thermostability of <i>Bacillus stearothermophilus</i> neutral protease	V.G.H.Eijsink, B.W.Dijkstra, G.Vriend, J.R.van der Zee, O.R.Veltman, B.van der Vinne, B.van den Burg, S.Kempe and G.Venema	421

Permuteins of interleukin 1β—a simplified approach for the construction of permuted proteins having new termini	R.A.Horlick, H.J.George, G.M.Cooke, R.J.Tritch, R.C.Newton, A.Dwivedi, M.Lischwe, F.R.Salemme, P.C.Weber and R.Horuk	427
Bipartite organization of the <i>Bacillus subtilis</i> endo-β-1,4-glucanase revealed by C-terminal mutations	M.A.Hefford, K.Laderoute, G.E.Willick, M.Yaguchi and V.L.Seligy	433
Mutant forms of β-galactosidase with an altered requirement for magnesium ions	I.S.Dunn and P.A.Jennings	441
Complex additivity of the effects of suppressor mutations in differing protein environments	I.S.Dunn and P.A.Jennings	447
Ligand requirements for Ca^{2+} binding to EGF-like domains	M.Mayhew, P.Handford, M.Baron, A.G.D.Tse, I.D.Campbell and G.G.Brownlee	489
Effects of signal peptide changes on the secretion of bovine somatotropin (bST) from <i>Escherichia coli</i>	B.K.Klein, J.O.Polazzi, C.S.Devine, S.H.Rangwala and P.O.Olins	511
Improved insulin stability through amino acid substitution	D.N.Brems, P.L.Brown, C.Bryant, R.E.Chance, L.K.Green, H.B.Long, A.A.Miller, R.Millican, J.E.Shields and B.H.Frank	519
Altering the association properties of insulin by amino acid replacement	D.N.Brems, L.A.Alter, M.J.Bekage, R.E.Chance, R.D.DiMarchi, L.K.Green, H.B.Long, A.H.Pekar, J.E.Shields and B.H.Frank	527
Selection of a thermostable variant of chloramphenicol acetyltransferase (Cat-86)	S.L.Turner, G.C.Ford, A.Mountain and A.Moir	535
Cumulative stabilizing effects of glycine to alanine substitutions in <i>Bacillus subtilis</i> neutral protease	I.Margarit, S.Campagnoli, F.Frigerio, G.Grandi, V.De Filippis and A.Fontana	543
A structural role of histidine 15 in human glutathione transferase M1-1, an amino acid residue conserved in class Mu enzymes	M.Widersten and B.Mannervik	551
Analysis of disulphide bridge function in recombinant bovine prolactin using site-specific mutagenesis and renaturation under mild alkaline conditions: a crucial role for the central disulphide bridge in the mitogenic activity of the hormone	D.N.Luck, P.W.Gout, E.R.Sutherland, K.Fox, M.Huyer and M.Smith	559
Specificity determinants of rat tissue kallikrein probed by site-directed mutagenesis	J.Wang, J.Chao and L.Chao	569
Site-saturation mutagenesis and three-dimensional modelling of ROB-1 define a substrate binding role of Ser130 in class A β-lactamases	J.-M.Juteau, E.Billings, J.R.Knox and R.C.Levesque	693
Single amino acid substitutions can further increase the stability of a thermophilic <i>L</i>-lactate dehydrogenase	H.K.W.Kallwass, W.K.Surewicz, W.Parris, E.L.A.Macfarlane, M.A.Luyten, C.M.Kay, M.Gold and J.B.Jones	769
Triple point mutation Asp10 → His, Asn101 → Asp, Arg148 → Ser in T4 phage lysozyme leads to the molten globule	V.N.Uversky, V.V.Leontiev and A.T.Gudkov	781
Probing the role of threonine and serine residues of <i>E.coli</i> asparaginase II by site-specific mutagenesis	C.Derst, J.Henseling and K.H.Röhm	785
Construction and characterization of a single polypeptide chain containing two enzymatically active dihydrofolate reductase domains	M.Iwakura and C.R.Matthews	791

CLONING EXPRESSION		
Overproduction, preparation of monoclonal antibodies and purification of <i>E.coli</i> asparagine synthetase A	S.K.Hinchman and S.M.Schuster	279
Active papain renatured and processed from insoluble recombinant propapain expressed in <i>Escherichia coli</i>	M.A.J.Taylor, K.A.Pratt, D.F.Revell, K.C.Baker, I.G.Sumner and P.W.Goodenough	455
Over-production of 5-enolpyruvylshikimate-3-phosphate synthase in <i>Escherichia coli</i>: use of the T7 promoter	W.A.Shuttleworth, C.D.Hough, K.P.Bertrand and J.N.S.Evans	461
Expression of the phosphorylase kinase γ subunit catalytic domain in <i>Escherichia coli</i>	S.Cox and L.N.Johnson	811
PHYSICO-CHEMICAL STUDIES OF PROTEIN STRUCTURE AND FUNCTION		
Fluorescent properties of the <i>Escherichia coli</i> D-xylose isomerase active site	A.C.Jamieson and C.A.Batt	235
pH-sensitive interactions between IgG and a mutated IgG-binding protein based upon two B domains of Protein A from <i>Staphylococcus aureus</i>	M.G.Gore, W.F.Ferris, A.G.Popplewell, M.Scawen and T.Atkinson	577
Oxygen binding and other physical properties of human hemoglobin made in yeast	K.Adachi, P.Konitzer, C.H.Lai, J.Kim and S.Surrey	807
SYNTHETIC GENES AND PROTEINS		
Expression of a synthetic gene coding for the amino acid sequence of <i>Clostridium pasteurianum</i> rubredoxin	M.K.Eidsness, S.E.O'Dell, D.M.Kurtz,Jr, R.L.Robson and R.A.Scott	367
Overexpression and structure-function analysis of a bioengineered IL-2/IL-6 chimeric lymphokine	F.Rock, M.Everett and M.Klein	583
Computer-aided gene design	G.Libertini and A.Di Donato	821
PROTEIN AND PEPTIDE CHEMISTRY		
Characterization of the interactions of a bifunctional inhibitor with α-thrombin by molecular modelling and peptide synthesis	S.-Y.Yue, J.DiMaio, Z.Szewczuk, E.O.Purisima, F.Ni and Y.Konishi	77
Uncoupling of catalysis and colipase binding in pancreatic lipase by limited proteolysis	A.Abousalham, C.Chaillan, B.Kerfelec, E.Foglizzo and C.Chapus	105
Design, synthesis and structure of an amphipathic peptide with pH-inducible haemolytic activity	R.Moser	323
Nuclear magnetic resonance studies and molecular dynamics simulations of the solution conformation of a 'designed', α-helical peptide	W.Klaus and R.Moser	333
Cellulose-binding domains: potential for purification of complex proteins	J.M.Greenwood, E.Ong, N.R.Gilkes, R.A.J.Warren, R.C.Miller,Jr and D.G.Kilburn	361
Development of an optimized refolding process for recombinant Ala-Glu-IGF-1	K.R.Hejnæs, S.Bayne, L.Nørskov, H.H.Sørensen, J.Thomsen, L.Schäffer, A.Wollmer and L.Skriver	797

